

HARVIA



HARVIA SPIRIT 8KW WALL-MOUNTED SAUNA HEATER CONTROL PANEL SPIRIT-80-240

FEATURES

The Harvia Spirit sauna heater, inspired by earth's natural materials, brings you closer to nature while enjoying the healing power of sauna heat.

The gently curved body of the heater is designed to use rounded stones, seamlessly fusing the beauty of nature with an elegant handmade design. The rounded stones offer a soft, enveloping sauna steam to relax your body and mind, whilst the heater's design adds a captivating touch to any sauna.

The fast-heating electric sauna heater can be operated using Harvia Xenio control units and has an optional WiFi upgrade so you can control the heater and all aspects of your sauna from your smart device using the MyHarvia app. The heater has integrated safety features to prevent heater from overheating.



SOFT AND
LONG-LASTING
STEAM



ENERGY EFFICIENT WITH
SHORT HEATING TIME



NATURAL
DESIGN



SIMPLE OPERATION
& SAFE TO USE



LARGE STONE
CAPACITY



SMALL SPACE
REQUIREMENT

CODES/STANDARDS



Intertek
3159549

ETL LISTED
CONFORMS TO
UL STD 875

HARVIA® MADE IN FINLAND
Limited Warranty

3 year residential
(use limited)




AVAILABLE COLOR

| Color | Description |
|-------|-----------------|
| | Stainless steel |

ACCESSORIES

- Bucket with ladle.
- Sauna fragrances.
- Rocks. (110lb.)
- Safety railing spirit.
- Wi-fi control.

SPECIFICATIONS



Product weight: 30 Lb.


HARVIA



HARVIA SPIRIT 8KW
WALL-MOUNTED SAUNA HEATER
CONTROL PANEL
SPIRIT-80-240

VOLTAGE AND SAUNA VOLUME

| Voltage | Breaker size AMPS | Wire size AWG | Sauna volume min. cu. ft. | Sauna volume max. cu. ft. |
|------------|----------------------|------------------|------------------------------|------------------------------|
| 240 V 1-PH | 40 | 8 | 177 | 431 |



Before operating the heater, fill the heater with rocks and install the rock guard.

INSTALLATION REQUIREMENTS

- Sauna heater
- Control panel Xenio
- Sensor
- Venting is required for the sauna to operate properly. (Low vent in under sauna heater and a high vent out on opposite wall.)

SPARE PARTS

Heating element 2650W/240V

CONTROL PANEL XENIO

The control panel can be installed either inside or outside the sauna room. When installed inside the sauna, it should be aligned with the end of the heater, and the maximum height of the control panel should be 36 inches from the floor.

High vent out can be on the sauna wall, through a cavity, or via a duct through the ceiling.

